05-31-2006 02:01pm From-XEROX +5854235240 T-038 P.004 F-437

Application No. 10/721,140


### **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings of claims in the application:


### **LISTING OF CLAIMS:**

. 1-40. (Cancelled)

41. (Currently Amended) A process for preparing a branched polyarylene ether polymer which comprises (A) providing a reaction mixture comprising (i) an optional solvent, (ii) a polyfunctional phenol compound of the formula Ar(OH)<sub>x</sub> wherein x≥3 and wherein Ar is an aryl moiety or an alkylaryl moiety, provided that when Ar is an alkylaryl moiety at least three of the -OH groups are bonded to an aryl portion thereof, (iii) a compound of the formula



er a mixture thereof, wherein m is an integer of 0 or 1, Y and Y' each, independently of the other, is a fluorine atom or a chlorine atom, and A is



wherein R is a hydrogen atom, an alkyl group, an aryl group, an arylalkyl group, an alkylaryl group, or mixtures thereof,

wherein  $R_{x}$  is an alkylene group, an arylene group, an arylene group, an alkylarylene group, or mixtures thereof,

or mixtures thereof, (iv) a compound of the formula

wherein B is

wherein z is an integer of from 2 to about 20,

wherein u is an integer of from 1 to about 20,

wherein w is an integer of from 1 to about 20,

wherein each o, independently of the other, is an integer of 1, 2, 3, or 4,


$$- \bigcirc \begin{matrix} OH & OH \\ \hline \downarrow \\ \hline \downarrow \\ R_1 \end{matrix} \bigcirc \begin{matrix} OH \\ \hline \downarrow \\ R_2 \end{matrix} \bigcirc \begin{matrix} OH \\ \hline \downarrow \\ R_2 \end{matrix} \bigcirc \begin{matrix} OH \\ \hline \end{matrix}$$

wherein  $R_1$  and  $R_2$  each, independently of the other, are alkyl groups, aryl groups, arylalkyl groups, alkylaryl groups, or mixtures thereof, and p is an integer of 0 or 1,

wherein b is an integer of 0 or 1,

$$-Ar'-N-Z-N-Ar'$$


wherein (1) Z is




or


$$-Ar'-(X)_{c}-Ar'-$$

wherein c is 0 or 1; (2) Ar' is






or



(3) G is an alkyl group selected from alkyl groups containing from about 2 to about 10 carbon atoms; (4) Ar" is



**O**r

(5) X is

wherein s is 0, 1, or 2,

or


and (6) q is 0 or 1; or mixtures thereof, (v) optionally, a compound of the formula

wherein a is an integer of from 1 to 5 and R' is a hydrogen atom, an alkyl group, an aryl group, an arylalkyl group, an alkylaryl group, or a mixture thereof, wherein two or more R' groups can be joined together to form a ring, and (vi) a carbonate base; and (B) heating the reaction mixture and removing generated water from the reaction mixture, thereby effecting a polymerization reaction.

42. (Currently Amended) A process according to claim 41 wherein each A, independently of the others, is

er a-mixture thereof and each B, independently of the others, is

wherein z is an integer of from 2 to about 20,



or a mixture thereof.

43. (Original) A process according to claim 41 wherein

A is

and B is

44. (Cancelled)

45. (Original) A process according to claim 41 wherein

A is

and B is

46. (Cancelled)

- 47. (Original) A process according to claim 41 wherein Ar is a substituted aryl group or a substituted arylalkyl group.
- 48. (Original) A polymer according to claim 41 wherein Ar is an unsubstituted aryl group or an unsubstituted arylalkyl group.
- 49. (Original) A polymer according to claim 41 wherein Ar is an aryl group having one or more hetero atoms therein or an arylalkyl group having one or more hetero atoms therein.
- 50. (Original) A polymer according to claim 49 wherein the one or more hetero atoms is oxygen, nitrogen, sulfur, silicon, phosphorus, or a mixture thereof.
- 51. (Original) A polymer according to claim 41 wherein Ar is an aryl group having no hetero atoms therein or an arylalkyl group having no hetero atoms therein.
- 52. (Original) A process according to claim 41 wherein x is 3.

53. (Original) A process according to claim 41 wherein the polyfunctional phenol is

54. (Original) A process according to claim 41 wherein the polyfunctional phenol is (a) of the formula

wherein y is an integer of 1, 2, or 3, z is an integer representing the number of  $HO-\phi-CH_{3-y-}$  groups on  $R_d$ , and  $R_d$  is a monovalent moiety; (b) of the formula

wherein r is an integer of at least about 3 and  $R_{\rm e}$  is an alkyl group, an arylaroup, an arylaroup, or an alkylaryl group, (c) of the formula

wherein f is an integer of at least 3, (d) of the formula

wherein  $g_1$ ,  $g_2$ ,  $g_3$ , and  $g_4$  are each integers of 0, 1, 2, 3, or 4, provided that the sum of  $g_1+g_2+g_3+g_4 \ge 3$ , (e) of the formula

wherein  $h_1$ ,  $h_2$ ,  $h_3$ , and  $h_4$  are each Integers of 0, 1, 2, 3, or 4, provided that the sum of  $h_1+h_2+h_3+h_4 \ge 3$ , (f) of the formula


wherein  $j_1$ ,  $j_2$ ,  $j_3$ , and  $j_4$  are each integers of 0, 1, 2, 3, or 4, provided that

the sum of  $j_1+j_2+j_3+j_4 \ge 3$ , or (g) mixtures thereof.

55. (Original) A process according to claim 41 wherein the polyfunctional phenol 1,1,3-tris(2-methyl-4-hydroxy-5-tert-Is butylphenyl)butane, 3,3,3',3'-tetramethyl-1,1'-spirobisindane-5,5',6,6'-tetrol, pyrogallol, 1,2,4-benzenetriol, phloroglucinol dihydrate, dithranol, nordihydroguaiaretic acid, C-methylcalix(4)resorcinarene, Cundecylcalix(4)-resorcinarene monohydrate, catechin hydrate, epicatechin, or mixtures thereof.

56. (Original) A process according to claim 41 wherein the compound of the formula

er



or mixtures thereof.

57. (Original) A process according to claim 41 wherein the compound of the formula

is

HO 
$$CH_3$$
 OH

 $CF_3$  OH

 $CF_3$  OH

 $CF_3$  OH

 $CF_3$  OH

 $CH_3$  OH

 $CH_3$  OH

 $CH_3$  OH

 $CH_3$  OH

or mixtures thereof.

- 58. (Original) A process according to claim 41 wherein a solvent is present.
- 59. (Original) A process according to claim 58 wherein the solvent is N,N-dimethylacetamide, sulfolane, dimethyl formamide, dimethyl sulfoxide. N-methyl pyrrolidinone, hexamethylphosphoric triamlde, or mixtures thereof.
- 60. (Original) A process according to claim 41 wherein the compound of the formula

is present.

61. (Original) A process according to claim 60 wherein

is

62. (Original) A process according to claim 60 wherein

is a methyl phenol, an ethyl phenol, a propyl phenol, a butyl phenol, a pentyl phenol, a hexyl phenol, a heptyl phenol, an octyl phenol, a nonyl phenol, a decyl phenol, an undecyl phenol, a dodecyl phenol, a phenyl phenol, a tolyl phenol, a benzyl phenol, a methoxy phenol, an ethoxy phenol, a propoxy phenol, a butoxy phenol, a pentyloxy phenol, a hexyloxy phenol, a heptyloxy phenol, an octyloxy phenol, a nonyloxy phenol, a decyloxy phenol, an undecyloxy phenol, a dodecyloxy phenol, a phenoxy phenol, a tolyloxy phenol, a benzyloxy phenol, a (polyethyleneoxy) phenol, a (polypropyleneoxy) phenol, a (polypropyleneoxy) phenol, a (polybutyleneoxy) phenol, a naphthol, or a mixture thereof.

- 63. (Original) A process according to claim 41 wherein the carbonate base is lithium carbonate, sodium carbonate, potassium carbonate, cesium carbonate, or a mixture thereof.
- 64. (Original) A process according to claim 41 wherein the carbonate base is potassium carbonate.
- 65. (Orlginal) A process according to claim 41 wherein the carbonate base is cesium carbonate.

- 66. (Original) A process according to claim 41 wherein a solvent is present and wherein the reaction mixture is heated to reflux temperature.
- 67. (Original) A process according to claim 41 wherein water is removed from the reaction mixture by azeotropic distillation.
- 68. (Original) A process according to claim 67 wherein the azeotropic distillation is carried out with toluene.
  - 69-80. (Cancelled)